# **SAFETY DATA SHEET**



**SUPERCRYL 80** 

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name : SUPERCRYL 80
Product code : 3025-036801

1.2 Relevant identified uses of the substance or mixture and uses advised against

**Product use** : Industrial surface coating for wood.

Product is not intended for consumer use.

1.3 Details of the supplier of the safety data sheet

Manufacturer : Akzo Nobel Industrial Coatings AB

SE-205 17 Malmö +46 40 35 50 00

**Email** : sds.if.malmo@akzonobel.com

1.4 Emergency telephone number

Emergency telephone number (with hours of

operation)

: +46 40 35 50 00 (08.00 - 16.30 CET)

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

The product is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Classification according to Regulation (EC) 1907/2006 (REACH)

Classification : Not classified.

2.2 Label elements

**Risk phrases**: This product is not classified according to EU legislation.

2.3 Other hazards

Additional warning phrases : Safety data sheet available for professional user on request.

# **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Chemical name	Identifiers	%	67/548/EEC	Regulation (EC) No. 1272/2008 [CLP]	
(2-methoxymethylethoxy)propanol	REACH #: 01- 2119450011-60 EC: 252-104-2 CAS: 34590-94-8 Index: Not Listed	1-5	Not classified.	Not classified.	[2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] PBT-substance
- [4] vPvB-substance

Occupational exposure limits, if available, are listed in Section 8.

**Date of printing** : 2013-08-07. **Page: 1/6** 

## SECTION 4: First aid measures

#### 4.1 Description of first aid measures

General : In all cases of doubt, or when symptoms persist, seek medical attention. Never give

anything by mouth to an unconscious person. If unconscious, place in recovery

position and seek medical advice.

Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing is Inhalation

irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by

trained personnel.

: Remove contaminated clothing and shoes. Wash skin thoroughly with soap and Skin contact

water or use recognised skin cleanser. Do NOT use solvents or thinners.

Check for and remove any contact lenses. Immediately flush eyes with running water Eye contact

for at least 15 minutes, keeping eyelids open. Seek immediate medical attention.

: If swallowed, seek medical advice immediately and show the container or label. Ingestion

Keep person warm and at rest. Do not induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

## Potential acute health effects

: No known significant effects or critical hazards. Eye contact Inhalation No known significant effects or critical hazards. Skin contact : No known significant effects or critical hazards. Ingestion No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

: No specific data. Eye contact Inhalation No specific data. Skin contact : No specific data. Ingestion : No specific data.

#### 4.3 Indication of any immediate medical attention and special treatment needed

: Treat symptomatically. Contact poison treatment specialist immediately if large Notes to physician

quantities have been ingested or inhaled.

No specific treatment. **Specific treatments** 

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing

media

: Recommended: alcohol-resistant foam, CO<sub>2</sub>, powders.

**Unsuitable extinguishing** 

media

: Do not use water jet.

#### 5.2 Special hazards arising from the substance or mixture

Hazards from the substance or mixture : Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.

**Hazardous thermal** decomposition products : Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.

#### 5.3 Advice for firefighters

Special protective actions for fire-fighters

: Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.

Special protective equipment for fire-fighters Appropriate breathing apparatus may be required.

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

: Exclude sources of ignition and ventilate the area. Avoid breathing vapour or mist. Refer to protective measures listed in sections 7 and 8.

6.2 Environmental precautions

: Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.

: 2013-08-07. **Date of printing** Page: 2/6

## **SECTION 6: Accidental release measures**

- 6.3 Methods and materials for containment and cleaning up
- : Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Preferably clean with a detergent. Avoid using solvents.
- 6.4 Reference to other sections
- : See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

# SECTION 7: Handling and storage

# 7.1 Precautions for safe handling

: Due to the organic solvents content of the preparation:

Prevent the creation of flammable or explosive concentrations of vapours in air and avoid vapour concentrations higher than the occupational exposure limits. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard.

Keep away from heat, sparks and flame. No sparking tools should be used. Avoid contact with skin and eyes. Avoid the inhalation of dust, particulates, spray or mist arising from the application of this preparation. Avoid inhalation of dust from sanding.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed.

Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel.

Always keep in containers made from the same material as the original one.

Comply with the health and safety at work laws.

## Information on fire and explosion protection

Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

When operators, whether spraying or not, have to work inside the spray booth, ventilation is unlikely to be sufficient to control particulates and solvent vapour in all cases. In such circumstances they should wear a compressed air-fed respirator during the spraying process and until such time as the particulates and solvent vapour concentration has fallen below the exposure limits.

# 7.2 Conditions for safe storage, including any incompatibilities

: Store in accordance with local regulations.

## Notes on joint storage

Keep away from: oxidising agents, strong alkalis, strong acids.

# Additional information on storage conditions

Observe label precautions. Store  $\bar{\text{in}}$  a dry, cool and well-ventilated area. Keep away from heat and direct sunlight.

Keep container tightly closed.

Keep away from sources of ignition. No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s) :

: No additional information.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

Ingredient name	Occupational exposure limits		
(2-methoxymethylethoxy)propanol	EU OEL (Europe, 12/2009). Absorbed through skin. Notes: list of indicative occupational exposure limit values TWA: 308 mg/m³ 8 hour(s). TWA: 50 ppm 8 hour(s).		

#### **Exposure controls**

: Provide adequate ventilation. Where reasonably practicable, this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapours below the OEL, suitable respiratory protection must be worn.

#### 8.2 Exposure controls

# **SECTION 8: Exposure controls/personal protection**

Respiratory system : Wear a respirator conforming to EN140 with Type A/P2 filter or better.

Dry sanding, flame cutting and/or welding of the dry paint film will give rise to dust and/or hazardous fumes. Wet sanding/flatting should be used wherever possible. If exposure cannot be avoided by the provision of local exhaust ventilation, suitable

respiratory protective equipment should be used.

**Skin and body** : Personnel should wear antistatic clothing made of natural fibres or of high-

temperature-resistant synthetic fibres.

**Hands** 

Not available.

Barrier creams may help to protect the exposed areas of the skin but should not be

applied once exposure has occurred.

Eyes : Use safety eyewear designed to protect against splash of liquids.

**Environmental exposure** 

controls

: Do not allow to enter drains or watercourses.

# SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical state : Liquid.

Colour : Colourless.

Flash point : Not applicable. Not considered to be flammable .

Boiling point/boiling range : 100 °C (Lowest known value: water)

Melting point/freezing point : Not tested
Auto-ignition temperature : Not applicable.

Decomposition temperature : Not tested
pH : 8 - 8.4

Viscosity : 70 - 75 s (DIN CUP 4 MM) (23 °C)

**Density** : 1.04 g/cm³ **Evaporation rate** : Not tested

**Vapour density** : < 1 (Air = 1) (Calculated value for the mixture)

Vapour pressure : Not applicable.

**Explosion limits** : Lower: 1% Upper: 13.7%

Partition coefficient: n-

octanol/water

: Not tested

VOC content (g/l) : 53

**9.2 Other information**No additional information.

# **SECTION 10: Stability and reactivity**

10.1 Reactivity : No specific test data related to reactivity available for this product or its ingredients.

**10.2 Chemical stability** : Stable under recommended storage and handling conditions (see section 7).

10.3 Possibility of hazardous reactions

10.4 Conditions to avoid

: Under normal conditions of storage and use, hazardous reactions will not occur.

: When exposed to high temperatures may produce hazardous decomposition

10.5 Incompatible materials : Keep away from the following materials to prevent strong exothermic reactions:

10.5 Incompatible materials : Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids.

10.6 Hazardous decomposition products

: Under normal conditions of storage and use, hazardous decomposition products should not be produced.

**Date of printing** : 2013-08-07. *Page: 4/6* 

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

There are no data available on the preparation itself. The preparation is not classified as dangerous according to Directive 1999/45/EC and its amendments.

Exposure to component solvent vapour concentrations in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on the kidneys, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and, in extreme cases, loss of consciousness.

Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the preparation may cause removal of natural fat from the skin, resulting in non-allergic contact dermatitis and absorption through the skin. If splashed in the eyes, the liquid may cause irritation and reversible damage.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

There are no data available on the preparation itself.

Do not allow to enter drains or watercourses.

The preparation has been assessed following the conventional method of the Dangerous Preparations Directive 1999/45/EC and is not classified as dangerous for the environment.

#### 12.2 Persistence and degradability

#### 12.3 Bioaccumulative potential

12.4 Mobility in soil

Soil/water partition : Not available.

coefficient (Koc)

Mobility : Not available.

12.5 Results of PBT and vPvB assessment

PBT : Not applicable.

vPvB : Not applicable.

**12.6 Other adverse effects**: No known significant effects or critical hazards.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Do not allow to enter drains or watercourses.

Dispose of according to all federal, state and local applicable regulations.

**Hazardous waste** : Within the present knowledge of the supplier, this product is not regarded as

hazardous waste, as defined by EU Directive 2008/98/EC.

# **SECTION 14: Transport information**

**Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

#### **IMDG**

UN number : Not regulated.

Proper shipping name : Not applicable.

Class : Not applicable.

Subsidiary class : Marine pollutant : No.

<u>ADR</u>

UN number : Not regulated.

Proper shipping name : Not applicable.

Class : Not applicable.

Subsidiary class : Marine pollutant : No.

**ADN/ADNR** 

UN number : Not regulated.Proper shipping name : Not applicable.

# **SECTION 14: Transport information**

Class : Not applicable.

Subsidiary class : Marine pollutant : No.

<u>IATA</u>

UN number : Not regulated.

Proper shipping name : Not applicable.

Class : Not applicable.

Subsidiary class : -

This product is not regulated for carriage according to ADR/RID, IMDG, ICAO/IATA.

# **SECTION 15: Regulatory information**

## 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **Other EU regulations**

**Additional warning** 

: Safety data sheet available for professional user on request.

phrases

The information in this Safety Data Sheet is required pursuant to Annex II to Regulation (EC) No 1907/2006.

Industrial use

: The information contained in this safety data sheet does not constitute the user's own assessment of workplace risks, as required by other health and safety legislation. The provisions of the national health and safety at work regulations apply to the use of this product at work.

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out.

#### SECTION 16: Other information

Abbreviations and acronyms

: ATE = Acute Toxicity Estimate

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.

1272/2008]

DNEL = Derived No Effect Level

EUH statement = CLP-specific Hazard statement PNEC = Predicted No Effect Concentration RRN = REACH Registration Number

Full text of abbreviated H

statements

: Not applicable.

**Full text of classifications** 

[CLP/GHS]

: Not applicable.

**Date of printing** : 2013-08-07. **Date of revision** : 2013-08-07.

Version : 2

#### **Notice to reader**

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.

**Date of printing** : 2013-08-07. **Page: 6/6**