## **SAFETY DATA SHEET**



**TEKNOCLEAR AQUA 1333-94** 

SECTION 1: Identific undertaking	cation of the substance/mixture and of the company/
1.1 Product identifier	
Product name	: TEKNOCLEAR AQUA 1333-94
	of the substance or mixture and uses advised against
Product description	: Paint.
1.3 Details of the supplier of	the safety data sheet
Teknos (UK) Limited, Unit E +44 (0) 1608 683 494.	1, Heath Farm, Banbury Road, Swerford, Oxfordshire OX7 4BN, United Kingdom. Tel.
E-mail: msds@teknos.se	3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.
National contact	
Teknos (UK) Limited, Unit E +44 (0) 1608 683 494.	1, Heath Farm, Banbury Road, Swerford, Oxfordshire OX7 4BN, United Kingdom. Tel.
1.4 Emergency telephone nu	umber
National advisory body/Poi	ison Centre
Telephone number	: NHS: 111 (for advise), 999 (for emergency).
<b>SECTION 2: Hazards</b>	s identification
2.1 Classification of the sub	stance or mixture
Product definition	: Mixture
Classification according to Not classified.	• Regulation (EC) No. 1272/2008 [CLP/GHS]
The product is not classified	as hazardous according to Regulation (EC) 1272/2008 as amended.
•	xt of the H statements declared above.
See Section 11 for more deta	ailed information on health effects and symptoms.
2.2 Label elements	
Signal word	: No signal word.
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Contains 2,4,7,9-tetramethyl-5-decyne-4,7-diol. May produce an allergic reaction. Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and	:

articles

## **SECTION 2: Hazards identification**

#### 2.3 Other hazards

Other hazards which do : None known. not result in classification

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	Mixture			
Product/ingredient name	Identifiers	%	<u>Classification</u> Regulation (EC) No. 1272/2008 [CLP]	Туре
Dipropyleneglycolmethylether	REACH #: 01-2119450011-60 EC: 252-104-2 CAS: 34590-94-8	≥1 - <3	Not classified.	[2]
3-Butoxypropan-2-ol	REACH #: 01-2119475527-28 EC: 225-878-4 CAS: 5131-66-8 Index: 603-052-00-8	≥1 - <3	Flam. Liq. 3, H226 Eye Irrit. 2, H319	[1]
2,4,7,9-tetramethyl-5-decyne-4, 7-diol	REACH #: 01-2119954390-39 EC: 204-809-1 CAS: 126-86-3	≥0.1 - <0.3	Eye Dam. 1, H318 Skin Sens. 1B, H317 Aquatic Chronic 3, H412	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

Inhalation

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.
4.2 Most important symptor	ns and effects, both acute and delayed

4.2 Most important sympton	is and enects, both acute and delayed
Potential acute health effect	<u>ets</u>
Eye contact	: No known significant effects or critical hazards.

: No known significant effects or critical hazards.

TEKNOCLEAR AQUA 1333-94				Label No	:110	80
Date of issue/Date of revision	: 19/12/2015	Date of previous issue	: No previous validation	Version	:1	2/11

## **SECTION 4: First aid measures**

Skin contact	: No known significant effects or critical hazards.
	5
Ingestion	: No known significant effects or critical hazards.
<u>Over-exposure signs/sy</u>	<u>imptoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any imm	nediate medical attention and special treatment needed
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>

**Specific treatments** : No specific treatment.

## **SECTION 5: Firefighting measures**

_	-	
5.1 Extinguishing media		
Suitable extinguishing media	Use ar	n extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None k	known.
5.2 Special hazards arising f	n the su	ibstance or mixture
Hazards from the substance or mixture	In a fire	e or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	In a fire	e, decomposition may produce toxic gases/fumes.
5.3 Advice for firefighters		
Special protective actions for fire-fighters	there is	tly isolate the scene by removing all persons from the vicinity of the incident if s a fire. No action shall be taken involving any personal risk or without e training.
Special protective equipment for fire-fighters	breathi mode. confori	hters should wear appropriate protective equipment and self-contained ing apparatus (SCBA) with a full face-piece operated in positive pressure Clothing for fire-fighters (including helmets, protective boots and gloves) ming to European standard EN 469 will provide a basic level of protection for cal incidents.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	: Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
6.3 Methods and material for	containment and cleaning up
Small snill	• Stop leak if without risk. Move containers from spill area. Dilute with water and mon

# Small spill: Stop leak if without risk. Move containers from spill area. Dilute with water and mop<br/>up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry<br/>material and place in an appropriate waste disposal container. Dispose of via a<br/>licensed waste disposal contractor.

TEKNOCLEAR AQUA 1333-94				Label No	1108	0
Date of issue/Date of revision	: 19/12/2015	Date of previous issue	: No previous validation	Version	:1	3/11

## SECTION C. Assidantal value

SECTION 6. ACCIN	ental release measures
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	<ul> <li>See Section 1 for emergency contact information.</li> <li>See Section 8 for information on appropriate personal protective equipment.</li> <li>See Section 13 for additional waste treatment information.</li> </ul>

## **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

#### 7.2 Conditions for safe storage, including any incompatibilities

Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

#### Seveso Directive - Reporting thresholds (in tonnes)

Named substances				
Name	Notification and MAPP threshold	Safety report threshold		
formaldehyde Concentration >= 90%	5	50		

#### 7.3 Specific end use(s)

Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

Occupational exposure limits			
Dipropyleneglycolmethylether	<b>EH40/2005 WELs</b> through skin. TWA: 308 mg/m <sup>:</sup> TWA: 50 ppm 8 l	<sup>3</sup> 8 hours.	IK), 12/2011). Absorbed
Recommended monitoring : procedures	If this product contains ingredients atmosphere or biological monitorin of the ventilation or other control m protective equipment. Reference s the following: European Standard the assessment of exposure by inh limit values and measurement stra atmospheres - Guide for the applic	g may be required to easures and/or the ne should be made to mo EN 689 (Workplace a nalation to chemical ag tegy) European Stand	determine the effectiveness eccessity to use respiratory onitoring standards, such as tmospheres - Guidance for gents for comparison with dard EN 14042 (Workplace
TEKNOCLEAR AQUA 1333-94			Label No :11080
Date of issue/Date of revision	: 19/12/2015 Date of previous issue	: No previous	Version : 1 4/11

validation

## **SECTION 8: Exposure controls/personal protection**

of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available

8.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measured	<u>ires</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	Recommendations : Wear suitable gloves tested to EN374. > 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm Not recommended polyvinyl alcohol (PVA) gloves
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
	spray application Filter type: A P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physic	al and chemical properties	
<u>Appearance</u>		
Physical state	: Liquid.	
Colour	: Various	
Odour	: Slight	
Odour threshold	: Not available.	
рН	: Not available.	
Melting point/freezing point	: Not available.	
TEKNOCLEAR AQUA 1333-94		Label No :11080

Date of issue/Date of revision

## **SECTION 9: Physical and chemical properties**

	enemical prop
:	Not available.
:	Closed cup: >100°C
1	Not available.
:	Not available.
1	Lower: 0.8% Upper: 15.3%
:	Not available.
1	Not available.
1	1.1 kg/l
1	Not available.
1	Not available.
:	Not available.
1	Not available.
1	Not available.
1	Not available.
÷	Not available.
1	30 g/l

No additional information.

#### SECTION 10: Stability and reactivity : No specific test data related to reactivity available for this product or its ingredients. **10.1 Reactivity 10.2 Chemical stability** : The product is stable. **10.3 Possibility of** : Under normal conditions of storage and use, hazardous reactions will not occur. hazardous reactions **10.4 Conditions to avoid** : No specific data. **10.5 Incompatible materials** : No specific data. **10.6 Hazardous** : Under normal conditions of storage and use, hazardous decomposition products decomposition products should not be produced.

## **SECTION 11: Toxicological information**

#### **11.1 Information on toxicological effects**

#### Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
3-Butoxypropan-2-ol	LD50 Dermal	Rabbit	3100 mg/kg	-
Conclusion/Summary	Not available.			

#### Acute toxicity estimates

Route	ATE value
Dermal	198893.9 mg/kg
Inhalation (vapours)	1988.9 mg/l

Irritation/Corrosion

: No previous validation

## SECTION 11: Toxicological information

Product/ingredient name	Result	Species	Score	Exposure	Observation
Dipropyleneglycolmethylether		Human	-	8 milligrams	-
	Eyes - Mild irritant	Rabbit	-	24 hours 500 milligrams	-
	Skin - Mild irritant	Rabbit	-	500 milligrams	-
2,4,7,9-tetramethyl- 5-decyne-4,7-diol	Eyes - Severe irritant	Rabbit	-	0.1 Mililiters	-
	Skin - Mild irritant	Rabbit	-	0.5 Grams	-
Conclusion/Summary	: Not available.				
Sensitisation					
Conclusion/Summary	: Not available.				
Mutagenicity					
Conclusion/Summary	: Not available.				
Carcinogenicity					
Conclusion/Summary	: Not available.				
Reproductive toxicity					
Conclusion/Summary	: Not available.				
Teratogenicity					
Conclusion/Summary	: Not available.				
Specific target organ toxicit	<u>y (single exposure)</u>				
Not available.					
Specific target organ toxicit	v (repeated exposure)				
Not available.	<u>y (repeated expecting</u>				
Aspiration hazard					
Not available.					
Information on the likely routes of exposure	: Not available.				
Potential acute health effects					
Eye contact	: No known significant effe	ects or critical hazar	ds.		
Inhalation	: No known significant effe	ects or critical hazar	ds.		
Skin contact	: No known significant effe	ects or critical hazar	ds.		
Ingestion	: No known significant effe	ects or critical hazar	ds.		
Symptoms related to the physical sectors and the sectors are sectors and the sectors are sectors a	sical, chemical and toxico	logical characteris	tics		
Eye contact	: No specific data.				
Inhalation	: No specific data.				
Skin contact	: No specific data.				
Ingestion	: No specific data.				
Delayed and immediate effect	ts and also chronic effects	s from short and lo	ng term	<u>exposure</u>	
Short term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
Long term exposure					
Potential immediate effects	: Not available.				
Potential delayed effects	: Not available.				
				l ahol	No .11080
TEKNOCLEAR AQUA 1333-94 Date of issue/Date of revision	: 19/12/2015 Date of previo	ous issue : No	previous	Label Versio	<b>No</b> :11080

## **SECTION 11: Toxicological information**

#### Potential chronic health effects

Not available.

Conclusion/Summary General Carcinogenicity Mutagenicity	<ul> <li>Not available.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>
Teratogenicity Developmental effects Fertility effects	<ul> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> <li>No known significant effects or critical hazards.</li> </ul>

#### **Other information**

: Not available.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Product/ingredient name	Result	S	pecies	Exposure
2,4,7,9-tetramethyl- 5-decyne-4,7-diol	EC50 91 mg/l	D	)aphnia - Daphnia magna	48 hours
	LC50 42 mg/l	F	ish - Cyprinus carpio	96 hours
Conclusion/Summary	: Not available.			

#### 12.2 Persistence and degradability

No known significant effects or critical hazards.

**Conclusion/Summary** : Not available.

#### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Dipropyleneglycolmethylether	0.004	-	low
3-Butoxypropan-2-ol	1.2	-	low

12.4 Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.

#### 12.5 Results of PBT and vPvB assessment

PBT	: Not applicable.
vPvB	: Not applicable.

12.6 Other adverse effects

: No known significant effects or critical hazards.

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	1	
Product		
Methods of disposal	: The generation of waste should be avoided or min Disposal of this product, solutions and any by-pro with the requirements of environmental protection and any regional local authority requirements. Dis recyclable products via a licensed waste disposal disposed of untreated to the sewer unless fully co all authorities with jurisdiction.	ducts should at all times comply and waste disposal legislation spose of surplus and non- contractor. Waste should not be
Hazardous waste	: Within the present knowledge of the supplier, this hazardous waste, as defined by EU Directive 91/6	
TEKNOCLEAR AQUA 1333-94		Label No :11080

 TEKNOCLEAR AQUA 1333-94
 Label No :11080

 Date of issue/Date of revision
 : 19/12/2015
 Date of previous issue
 : No previous validation

 Version
 : 19/12/2015
 Date of previous issue
 : No previous validation
 Version
 : 1

## SECTION 13: Disposal considerations

European waste catalogue : 080112, 200128 (EWC)

Packaging	
Methods of disposal	<ul> <li>The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.</li> </ul>
Special precautions	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

## **SECTION 14: Transport information**

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

user

14.6 Special precautions for : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

## SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU Regulation (EC) No. 1907/2006 (REACH)

Annex XIV - List of substances subject to authorisation

: Not available.

Annex XIV

None of the components are listed.

Substances of very high concern

None of the components are listed.

**Annex XVII - Restrictions** on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

#### **Other EU regulations**

**Europe inventory** : Not determined.

## **SECTION 15: Regulatory information**

#### **Seveso Directive**

This product is controlled under the Seveso Directive.

#### Named substances

#### Name

formaldehyde Concentration >= 90%

#### International regulations

#### Chemical Weapon Convention List Schedules I, II & III Chemicals

Not listed.

#### Montreal Protocol (Annexes A, B, C, E)

Not listed.

#### Stockholm Convention on Persistent Organic Pollutants

Not listed.

## Rotterdam Convention on Prior Inform Consent (PIC)

Not listed.

#### **UNECE Aarhus Protocol on POPs and Heavy Metals**

Not listed.

#### **15.2 Chemical Safety** Assessment

: This product contains substances for which Chemical Safety Assessments are still required.

## SECTION 16: Other information

Indicates information that has changed from previously issued version.

#### Α

а

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Verv Persistent and Verv Bioaccumulative

#### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification Not classified.		ion	Justification	
Full text of abbreviated H statements	:	H226 H317 H318 H319 H412	Flammable liquid and vapour. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Harmful to aquatic life with long lasting effects.	
Full text of classifications [CLP/GHS]	:	Aquatic Chronic 3, H412 Eye Dam. 1, H318 Eye Irrit. 2, H319 Flam. Liq. 3, H226 Skin Sens. 1B, H317	LONG-TERM AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 FLAMMABLE LIQUIDS - Category 3 SKIN SENSITIZATION - Category 1B	
Date of issue/ Date of revision	:	19/12/2015		
Date of previous issue	:	No previous validation		
Version	1	1		

#### **TEKNOCLEAR AQUA 1333-94**

Date of issue/Date of revision

: No previous validation

## **SECTION 16: Other information**

#### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.