# **SAFETY DATA SHEET**



TEKNOCLEAR AQUA 1335-53

SECTION 1: Identific undertaking	ation of the substance/mixture and of the company/
1.1 Product identifier	
Product name	: TEKNOCLEAR AQUA 1335-53
	of the substance or mixture and uses advised against
Product description	: Paint.
1.3 Details of the supplier of	the safety data sheet
Teknos (UK) Limited, Unit E <sup>-</sup> +44 (0) 1608 683 494.	1, Heath Farm, Banbury Road, Swerford, Oxfordshire OX7 4BN, United Kingdom. Tel.
Teknos Group Oy, Takkatie 3 E-mail: msds@teknos.se National contact	3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.
	1, Heath Farm, Banbury Road, Swerford, Oxfordshire OX7 4BN, United Kingdom. Tel.
+44 (0) 1608 683 494.	
1.4 Emergency telephone nu	mber
National advisory body/Poi	son Centre
Telephone number	: NHS: 111 (for advise), 999 (for emergency).
<b>SECTION 2: Hazards</b>	dentification
2.1 Classification of the subs	stance or mixture
Product definition	: Mixture
Classification according to Not classified.	Regulation (EC) No. 1272/2008 [CLP/GHS]
The product is not classified a	as hazardous according to Regulation (EC) 1272/2008 as amended.
See Section 16 for the full tex	t of the H statements declared above.
See Section 11 for more deta	iled information on health effects and symptoms.
2.2 Label elements	
Signal word	:
Hazard statements	: No known significant effects or critical hazards.
Precautionary statements	
Prevention	: Not applicable.
Response	: Not applicable.
Storage	: Not applicable.
Disposal	: Not applicable.
Supplemental label elements	: Contains 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous	:

substances, mixtures and

articles

: 23/11/2016 Date of previous issue

## **SECTION 2: Hazards identification**

#### 2.3 Other hazards

Other hazards which do : None known. not result in classification

## **SECTION 3: Composition/information on ingredients**

3.2 Mixtures	: Mixture					
Product/ingredient name	Identifiers	%	Classification Regulation (EC) No. 1272/2008 [CLP]	Туре		
Dipropyleneglycolmethylether	REACH #: 01-2119450011-60 EC: 252-104-2 CAS: 34590-94-8	≥1 - <3	Not classified.	[2]		
3-Butoxypropan-2-ol	REACH #: 01-2119475527-28 EC: 225-878-4 CAS: 5131-66-8 Index: 603-052-00-8	≥1 - <3	Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1]		
1,2-Benzisothiazol-3(2H)-one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.05	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412	[1]		
			See Section 16 for the full text of the H statements declared above.			

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

### SECTION 4: First aid measures

### 4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	<ul> <li>Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.</li> </ul>
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed <u>Potential acute health effects</u>

TEKNOCLEAR AQUA 1335-53				Label No	:1136	38
Date of issue/Date of revision	: 23/11/2016	Date of previous issue	: No previous validation	Version	:1	2/11

Eye contact	: No known significant effects or critical hazards.
Inhalation	
	No known significant effects or critical hazards.
Skin contact	No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	
Eye contact	No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immedi	ate medical attention and special treatment needed
Notes to physician	<ul> <li>Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.</li> </ul>
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ting measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: In a fire, decomposition may produce toxic gases/fumes.
5.3 Advice for firefighters	
Special protective actions for fire-fighters	<ul> <li>Promptly isolate the scene by removing all persons from the vicinity of the incident i there is a fire. No action shall be taken involving any personal risk or without suitable training.</li> </ul>
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6.1 Personal precautions, pro	ote	ctive equipment and emergency procedures
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).

## 6.3 Methods and material for containment and cleaning up

TEKNOCLEAR AQUA 1335-53				Label No	:1136	8
Date of issue/Date of revision	: 23/11/2016	Date of previous issue	: No previous validation	Version	:1	3/11

### **SECTION 6: Accidental release measures**

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

### **SECTION 7: Handling and storage**

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

#### 7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

### 7.2 Conditions for safe storage, including any incompatibilities

Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)	
Recommendations	: Not available.
Industrial sector specific solutions	: Not available.

## **SECTION 8: Exposure controls/personal protection**

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

#### 8.1 Control parameters

#### Occupational exposure limits

Dipropyleneglycolmethylether	EH40/2005 WELs (United Kingdom (UK), 12/2011). Absorbed through skin. TWA: 308 mg/m³ 8 hours. TWA: 50 ppm 8 hours.
Recommended monitoring : procedures	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures

TEKNOCLEAR AQUA 1335-53				Label No :113	68
Date of issue/Date of revision	: 23/11/2016	Date of previous issue	: No previous validation	Version :1	4/11

## **SECTION 8: Exposure controls/personal protection**

for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.

#### **DNELs/DMELs**

No DNELs/DMELs available.

#### **PNECs**

No PNECs available

8.2 Exposure controls	
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection meas	<u>ures</u>
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	: Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
	Recommendations : Wear suitable gloves tested to EN374. > 8 hours (breakthrough time): Nitrile gloves. thickness > 0.3 mm Not recommended polyvinyl alcohol (PVA) gloves
Body protection	<ul> <li>Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Other skin protection	<ul> <li>Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.</li> </ul>
Respiratory protection	: Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
	spray application Filter type: A P
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## **SECTION 9: Physical and chemical properties**

9.1 Information on basic physic Appearance	cal and chemical properties		
Physical state	: Liquid.		
Colour	: Various		
Odour	: Slight		
Odour threshold	: Not available.		
рН	: Not available.		
Melting point/freezing point	: Not available.		
Initial boiling point and boiling range	: Not available.		
TEKNOCLEAR AQUA 1335-53			Label No :11368
Date of issue/Date of revision	: 23/11/2016 Date of previous issue	: No previous validation	Version : 1 5/11

## **SECTION 9: Physical and chemical properties**

=		
Flash point	:	Closed cup: >100°C
Evaporation rate	:	Not available.
Flammability (solid, gas)	:	Not available.
Upper/lower flammability or explosive limits	:	Lower: Not applicable. Upper: Not applicable.
Vapour pressure	:	Not available.
Vapour density	:	Not available.
Density	:	1 kg/l
Solubility(ies)	:	Not available.
Partition coefficient: n-octanol/ water	:	Not available.
Auto-ignition temperature	:	Not available.
Decomposition temperature	:	Not available.
Viscosity	:	Not available.
Explosive properties	:	Not available.
Oxidising properties	:	Not available.
9.2 Other information		

## VOC

: 49 g/l

No additional information.

SECTION 10: Stability and reactivity			
10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.	
10.2 Chemical stability	:	The product is stable.	
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.	
10.4 Conditions to avoid	:	No specific data.	
10.5 Incompatible materials	:	No specific data.	
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.	

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

**Acute toxicity** 

Product/ingredient name	Result	Species	Dose	Exposure
3-Butoxypropan-2-ol 1,2-Benzisothiazol-3(2H)- one	LD50 Dermal LD50 Oral	Rabbit Rat	3100 mg/kg 1020 mg/kg	-

**Conclusion/Summary** : Not available.

### Acute toxicity estimates

Not available.

### Irritation/Corrosion

: 23/11/2016 Date of previous issue

: No previous validation

ipropyleneglycolmethylether Eyes - Mild irritant Eyes - Mild irritant Skin - Mild irritant Skin - Mild irritant Skin - Mild irritant : Not available. ensitisation onclusion/Summary : Not available. utagenicity onclusion/Summary : Not available. arcinogenicity onclusion/Summary : Not available. eproductive toxicity onclusion/Summary : Not available.	Human Rabbit Rabbit Human	-	8 milligrams 24 hours 500 milligrams 500 milligrams 48 hours 5 Percent	-
2-Benzisothiazol-3(2H)-       Skin - Mild irritant         2-Benzisothiazol-3(2H)-       Skin - Mild irritant         onclusion/Summary       : Not available.         ensitisation       onclusion/Summary         onclusion/Summary       : Not available.         utagenicity       onclusion/Summary         onclusion/Summary       : Not available.         arcinogenicity       onclusion/Summary         onclusion/Summary       : Not available.         eproductive toxicity       : Not available.	Rabbit	-	milligrams 500 milligrams 48 hours 5	-
2-Benzisothiazol-3(2H)- onclusion/Summary : Not available. ensitisation onclusion/Summary : Not available. utagenicity onclusion/Summary : Not available. arcinogenicity onclusion/Summary : Not available.			500 milligrams 48 hours 5	
2-Benzisothiazol-3(2H)- onclusion/Summary : Not available. ensitisation onclusion/Summary : Not available. utagenicity onclusion/Summary : Not available. arcinogenicity onclusion/Summary : Not available.			milligrams 48 hours 5	
onclusion/Summary : Not available. ensitisation onclusion/Summary : Not available. utagenicity onclusion/Summary : Not available. arcinogenicity onclusion/Summary : Not available. eproductive toxicity	Human	-	48 hours 5	-
onclusion/Summary : Not available. ensitisation onclusion/Summary : Not available. utagenicity onclusion/Summary : Not available. arcinogenicity onclusion/Summary : Not available. eproductive toxicity		1		<u> </u>
ensitisation onclusion/Summary : Not available. utagenicity onclusion/Summary : Not available. arcinogenicity onclusion/Summary : Not available. eproductive toxicity				
onclusion/Summary       : Not available.         utagenicity				
utagenicity         onclusion/Summary       : Not available.         arcinogenicity         onclusion/Summary       : Not available.         eproductive toxicity				
onclusion/Summary       : Not available.         arcinogenicity				
arcinogenicity onclusion/Summary : Not available. aproductive toxicity				
onclusion/Summary : Not available.				
eproductive toxicity				
onclusion/Summary : Not available.				
eratogenicity				
onclusion/Summary : Not available.				
<u>pecific target organ toxicity (single exposure)</u>				
ot available.				
<u>pecific target organ toxicity (repeated exposure)</u>				
ot available.				
piration hazard				
ot available.				
prmation on the likely : Not available.				
prmation on the likely : Not available. tes of exposure				
ential acute health effects				
re contact : No known significant effects of	or critical hazar	eh.		
halation : No known significant effects of				
kin contact : No known significant effects of				
gestion : No known significant effects of				
Jestion . No known significant enects of		us.		
nptoms related to the physical, chemical and toxicologic	al characteris	tics		
re contact : No specific data.				
halation : No specific data.				
kin contact : No specific data.				
gestion : No specific data.				
Jestion . No specific data.				
aved and immediate effects and also chronic effects fror	n short and lo	na term	exposure	
nort term exposure			<u>oxpoouro</u>	
Potential immediate : Not available.				
ffects				
Potential delayed effects : Not available.				
ong term exposure				
Potential immediate : Not available.				
iffects				
Potential delayed effects : Not available.				
otential chronic health effects				

: 23/11/2016 Date of previous issue

## **SECTION 11: Toxicological information**

Not available.

Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
<b>Developmental effects</b>	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Other information

: Not available.

## **SECTION 12: Ecological information**

### 12.1 Toxicity

Product/ingredient name	Result	Species	Exposure	
1,2-Benzisothiazol-3(2H)- one	Acute EC50 0.36 mg/l Marine water	Algae - Skeletonema Costatum	72 hours	
	Acute EC50 3.7 mg/l Acute LC50 1.9 mg/l Fresh water Acute NOEC 0.15 mg/l Marine water	Daphnia - Daphnia Magna Fish - Onorhynchus Mykiss Algae - Skeletonema Costatum	48 hours 96 hours 72 hours	

**Conclusion/Summary** 

: Not available.

### 12.2 Persistence and degradability

Product/ingredient name	Test	Result		Dose	Inoculum
1,2-Benzisothiazol-3(2H)- one	EU	24 % - 28 days		-	-
Conclusion/Summary	: Not available.	-		•	-
Product/ingredient name	Aquatic half-life		Photolysis	S	Biodegradability
1,2-Benzisothiazol-3(2H)- one	-		-		Inherent

### 12.3 Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Dipropyleneglycolmethylether	0.004	-	low
3-Butoxypropan-2-ol	1.2	-	low
1,2-Benzisothiazol-3(2H)-	-	3.2	low
one			

12.4 Mobility in soil Soil/water partition coefficient (Koc)	:	Not available.
Mobility	:	Not available.
12.5 Results of PBT and vPvI	3 a	ssessment
PBT	1	Not applicable.
vPvB	:	Not applicable.

**12.6 Other adverse effects** : No known significant effects or critical hazards.

: 23/11/2016 Date of previous issue

: No previous validation

## **SECTION 13: Disposal considerations**

13.1 Waste treatment methods	s	
Product		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	:	Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
European waste catalogue (EWC)	:	080112, 200128
Packaging		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	:	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.
SECTION 14: Transpo	or	tinformation

	ADR/RID	ADN	IMDG	ΙΑΤΑ
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

user

**14.6 Special precautions for** : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

: 23/11/2016 Date of previous issue

: No previous . validation

## **SECTION 15: Regulatory information**

SECTION 15. Regulatory information
15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
EU Regulation (EC) No. 1907/2006 (REACH)
Annex XIV - List of substances subject to authorisation
Annex XIV
None of the components are listed.
Substances of very high concern
None of the components are listed.
Annex XVII - Restrictions :
on the manufacture,
placing on the market and use of certain
dangerous substances,
mixtures and articles
Other EU regulations
Europe inventory : Not determined.
Seveso Directive
This product is not controlled under the Seveso Directive.
International regulations
Chemical Weapon Convention List Schedules I, II & III Chemicals
Not listed.
Montreal Protocol (Annexes A, B, C, E)
Not listed.
Stockholm Convention on Persistent Organic Pollutants
Not listed.
Rotterdam Convention on Prior Inform Consent (PIC)
Not listed.
UNECE Aarhus Protocol on POPs and Heavy Metals
Not listed.
<b>15.2 Chemical Safety</b> : This product contains substances for which Chemical Safety Assessments are still
Assessment required.
SECTION 16: Other information

	Indicates inforr	nation that has	s changed from	previously issue	ed version.
--	------------------	-----------------	----------------	------------------	-------------

Abbreviations and acronyms	<ul> <li>ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number</li> </ul>
	vPvB = Very Persistent and Very Bioaccumulative

### Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

SECTION 16: Other information				
Full text of abbreviated H statements	H302Harmful if swallowed.H315Causes skin irritation.H317May cause an allergic skin reaction.H318Causes serious eye damage.H319Causes serious eye irritation.H400Very toxic to aquatic life.H412Harmful to aquatic life with long lasting effects.			
Full text of classifications [CLP/GHS]	Acute Tox. 4, H302ACUTE TOXICITY (oral) - Category 4Aquatic Acute 1, H400ACUTE AQUATIC HAZARD - Category 1Aquatic Chronic 3, H412LONG-TERM AQUATIC HAZARD - Category 3Eye Dam. 1, H318SERIOUS EYE DAMAGE/ EYE IRRITATION - 0Eye Irrit. 2, H319SERIOUS EYE DAMAGE/ EYE IRRITATION - 0Skin Irrit. 2, H315SKIN CORROSION/IRRITATION - Category 2Skin Sens. 1, H317SKIN SENSITIZATION - Category 1	Category		
Date of issue/ Date of revision	23/11/2016			
Date of previous issue	No previous validation			
Version Notice to reader				

### Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.