SAFETY DATA SHEET



TEKNOCOAT AQUA 1330-33

SECTION 1: Identification of the substance/mixture and of the company/ undertaking				
1.1 Product identifier				
Product name	: TEKNOCOAT AQUA 1330-33			
	of the substance or mixture and uses advised against			
Product description	: Paint.			
1.3 Details of the supplier of	the safety data sheet			
Teknos (UK) Limited, Unit E ⁻ +44 (0) 1608 683 494.	1, Heath Farm, Banbury Road, Swerford, Oxfordshire OX7 4BN, United Kingdom. Tel.			
E-mail: msds@teknos.dk	3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091.			
National contact				
1eknos (UK) Limited, Unit E +44 (0) 1608 683 494.	1, Heath Farm, Banbury Road, Swerford, Oxfordshire OX7 4BN, United Kingdom. Tel.			
1.4 Emergency telephone nu	mber			
National advisory body/Poi	son Centre			
Telephone number	: NHS: 111 (for advise), 999 (for emergency).			
SECTION 2: Hazards	identification			
2.1 Classification of the subs	stance or mixture			
Product definition	: Mixture			
Classification according to Not classified.	Regulation (EC) No. 1272/2008 [CLP/GHS]			
The product is not classified a	as hazardous according to Regulation (EC) 1272/2008 as amended.			
See Section 16 for the full tex	t of the H statements declared above.			
See Section 11 for more deta	iled information on health effects and symptoms.			
2.2 Label elements				
Signal word	:			
Hazard statements	: No known significant effects or critical hazards.			
Precautionary statements				
Prevention	: Not applicable.			
Response	: Not applicable.			
Storage	: Not applicable.			
Disposal	: Not applicable.			
Supplemental label elements	: Contains 1,2-Benzisothiazol-3(2H)-one. May produce an allergic reaction. Safety data sheet available on request.			
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and	:			

2.3 Other hazards

articles

 TEKNOCOAT AQUA 1330-33
 Label No :11368

 Date of issue/Date of revision
 : 26/09/2016
 Date of previous issue
 : 27/10/2015
 Version : 1.02
 1/11

SECTION 2: Hazards identification

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

3.2 Mixtures	: Mixture			
Product/ingredient name	Identifiers	%	<u>Classification</u> Regulation (EC) No. 1272/2008 [CLP]	Туре
2-Butoxyethanol	REACH #: 01-2119475108-36 EC: 203-905-0 CAS: 111-76-2 Index: 603-014-00-0	≥1 - <3	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H332 Skin Irrit. 2, H315 Eye Irrit. 2, H319	[1] [2]
2-(2-butoxyethoxy)ethanol	REACH #: 01-2119475104-44 EC: 203-961-6 CAS: 112-34-5 Index: 603-096-00-8	≥1 - <3	Eye Irrit. 2, H319	[1] [2]
1,2-Benzisothiazol-3(2H)-one	EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6	<0.05	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 3, H412	[1]
			See Section 16 for the full text of the H statements declared above.	

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Туре

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	 Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

4.2 Most important symptoms and effects, both acute and delayed <u>Potential acute health effects</u>

TEKNOCOAT AQUA 1330-33				Label No	:1136	8
Date of issue/Date of revision	: 26/09/2016	Date of previous issue	: 27/10/2015	Version	:1.02	2/11

Europeante et	measures
Eye contact	No known significant effects or critical hazards.
Inhalation	No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/symp	
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
4.3 Indication of any immedia	ate medical attention and special treatment needed
Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
SECTION 5: Firefight	ing measures
5.1 Extinguishing media	
Suitable extinguishing media	: Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	: None known.
5.2 Special hazards arising f	rom the substance or mixture
Hazards from the substance or mixture	: In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	: In a fire, decomposition may produce toxic gases/fumes.
5.3 Advice for firefighters	
Special protective actions for fire-fighters	 Promptly isolate the scene by removing all persons from the vicinity of the incident i there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents.

6.1 Personal precautions, protective equipment and emergency procedures				
For non-emergency personnel	:	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Put on appropriate personal protective equipment.		
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".		
6.2 Environmental precautions	:	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		

6.3 Methods and material for containment and cleaning up

TEKNOCOAT AQUA 1330-33				Label No	: 1136	8
Date of issue/Date of revision	: 26/09/2016	Date of previous issue	: 27/10/2015	Version	:1.02	3/11

SECTION 6: Accidental release measures

Small spill	: Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor.
6.4 Reference to other sections	: See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

Protective measures	: Put on appropriate personal protective equipment (see Section 8).
Advice on general occupational hygiene	: Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

7.3 Specific end use(s)

Recommendations Industrial sector specific solutions : Not available.

or specific : Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

Product/ingredient name	Exposure limit values EH40/2005 WELs (United Kingdom (UK), 12/2011). Absorbed through skin. STEL: 50 ppm 15 minutes. TWA: 25 ppm 8 hours.		
2-Butoxyethanol			
2-(2-butoxyethoxy)ethanol	EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 ppm 8 hours. STEL: 15 ppm 15 minutes. TWA: 67.5 mg/m ³ 8 hours. STEL: 101.2 mg/m ³ 15 minutes.		

SECTION 8: Exposure controls/personal protection

Recommended monitoring procedures		If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required.
DNELs/DMELs		
No DNELs/DMELs available		
PNECs		
No PNECs available		
8.2 Exposure controls		
Appropriate engineering controls	-	Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Individual protection measu	res	<u>i</u>
Hygiene measures	:	Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.
Eye/face protection	:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection		
Hand protection	:	Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.
		Recommendations : Wear suitable gloves tested to EN374.> 8 hours (breakthrough time):Nitrile gloves. thickness > 0.3 mmNot recommendedpolyvinyl alcohol (PVA) gloves
Body protection	:	Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Other skin protection	:	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	:	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
		spray application Filter type: A P
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties **Appearance Physical state** : Liquid. Colour Various ÷. Odour Slight ÷. Not available. **Odour threshold** ÷. ţ 8 - 8.8 pН : Not available. Melting point/freezing point Initial boiling point and Not available. • boiling range : Closed cup: >100°C **Flash point** Not available. **Evaporation rate** ż Flammability (solid, gas) Not available. ż. **Upper/lower flammability or** : Lower: 0.8% explosive limits Upper: 9.4% Vapour pressure : Not available. Vapour density Not available. ÷. Density 1 kg/l 5 Solubility(ies) : Not available. Partition coefficient: n-octanol/ : Not available. water **Auto-ignition temperature** : Not available. **Decomposition temperature** ÷. Not available. Viscosity : Not available. **Explosive properties** : Not available. **Oxidising properties** : Not available.

9.2 Other information

VOC

: 21 g/l

No additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity	:	No specific test data related to reactivity available for this product or its ingredients.
10.2 Chemical stability	:	The product is stable.
10.3 Possibility of hazardous reactions	:	Under normal conditions of storage and use, hazardous reactions will not occur.
10.4 Conditions to avoid	:	No specific data.
10.5 Incompatible materials	:	No specific data.
10.6 Hazardous decomposition products	:	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Product/ingredient name Result	Species	Dose	Exposure
2-(2-butoxyethoxy)ethanol LD50 Dermal LD50 Oral 1,2-Benzisothiazol-3(2H)- one	Rabbit Rat Rat	2700 mg/kg 4500 mg/kg 1020 mg/kg	

Conclusion/Summary : Not available.

Acute toxicity estimates

Route	ATE value
	23659.6 mg/kg
Dermal	52051.1 mg/kg
Inhalation (vapours)	520.5 mg/l

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
2-Butoxyethanol	Eyes - Moderate irritant	Rabbit	-	24 hours 100	-
	Eyes - Severe irritant	Rabbit	_	milligrams 100	
	Lyes - Severe initant	Rabbit	-	milligrams	-
	Skin - Mild irritant	Rabbit	-	500	-
		Date		milligrams	
2-(2-butoxyethoxy)ethanol	Eyes - Moderate irritant	Rabbit	-	24 hours 20 milligrams	-
	Eyes - Severe irritant	Rabbit	-	20 milligrams	-
1,2-Benzisothiazol-3(2H)-	Skin - Mild irritant	Human	-	48 hours 5	-
one				Percent	
Conclusion/Summary	: Not available.				
Sensitisation					
Conclusion/Summary	: Not available.				
Mutagenicity					
Conclusion/Summary	: Not available.				
Carcinogenicity					
Conclusion/Summary	: Not available.				
Reproductive toxicity					
Conclusion/Summary	: Not available.				
Teratogenicity					
Conclusion/Summary	: Not available.				
Specific target organ toxicit	v (single exposure)				
Not available.					
On a sifin town of a way towinit					
Specific target organ toxicit	y (repeated exposure)				
Not available.					
Aspiration hazard					
Not available.					
nformation on the likely	: Not available.				
outes of exposure					
Potential acute health effects	ì				
Eve contact	: No known significant effec	ts or critical haza	rds.		
Eye contact	: No known significant effects or critical hazards.				
Inhalation	: No known significant effec	ts or critical haza	us.		
	No known significant effecNo known significant effec				

Date of issue/Date of revision

SECTION 11: Toxicological information

Symptoms related to the phy	sical, chemical and toxicological characteristics
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Delayed and immediate effec	ts and also chronic effects from short and long term exposure
Short term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Long term exposure	
Potential immediate effects	: Not available.
Potential delayed effects	: Not available.
Potential chronic health effe	ects
Not available.	
Conclusion/Summary	: Not available.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

Product/ingredient name	Result	Species	Exposure
2-Butoxyethanol	Acute EC50 >1000 mg/l Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 800000 µg/l Marine water	Crustaceans - Crangon crangon	48 hours
	Acute LC50 1250000 µg/l Marine water	Fish - Menidia beryllina	96 hours
2-(2-butoxyethoxy)ethanol 1,2-Benzisothiazol-3(2H)- one	Acute EC50 1300000 µg/l Fresh water Acute EC50 0.36 mg/l Marine water	Fish - Lepomis macrochirus Algae - Skeletonema Costatum	96 hours 72 hours
	Acute EC50 3.7 mg/l	Daphnia - Daphnia Magna	48 hours
	Acute LC50 1.9 mg/l Fresh water	Fish - Onorhynchus Mykiss	96 hours
	Acute NOEC 0.15 mg/l Marine water	Algae - Skeletonema Costatum	72 hours

Conclusion/Summary

: Not available.

12.2 Persistence and degradability

Breduct/in are diant name	Teet	Decult		Deee	la e culum
Product/ingredient name	Test	Result		Dose	Inoculum
1,2-Benzisothiazol-3(2H)- one	EU	24 % - 28 days		-	-
Conclusion/Summary	: Not available.				
Product/ingredient name	Aquatic half-life		Photolysis	S	Biodegradability
1,2-Benzisothiazol-3(2H)- one	-		-		Inherent

12.3 Bioaccumulative potential

TEKNOCOAT AQUA 1330-33				Label No	: 1136	8
Date of issue/Date of revision	: 26/09/2016	Date of previous issue	: 27/10/2015	Version	:1.02	8/11

SECTION 12: Ecological information			
Product/ingredient name	LogPow	BCF	Potential
2-Butoxyethanol	0.81	-	low
2-(2-butoxyethoxy)ethanol	1	-	low
1,2-Benzisothiazol-3(2H)-	-	3.2	low
one			

12.4 Mobility in soil		
Soil/water partition coefficient (K _{oc})	: Not available.	
Mobility	: Not available.	
12.5 Results of PBT and	vPvB assessment	
PBT	: Not applicable.	

vPvB	: Not applicable.

12.6 Other adverse effects : No known significant effects or critical hazards.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	:	Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
European waste catalogue (EWC)	:	080112
Packaging		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.
Special precautions	:	This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

	ADR/RID	ADN	IMDG	IATA
14.1 UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
14.2 UN proper shipping name	-	-	-	-
14.3 Transport hazard class(es)	-	-	-	-
14.4 Packing group	-	-	-	-
14.5 Environmental hazards	No.	No.	No.	No.
TEKNOCOAT AQUA		016 Date of previous issue	: 27/10/2015	Label No :11368

Additional information	-	rt informa	-		-	-	
14.6 Special precau user	ions for :	upright and	secure. Ens		always transport sons transporting		
14.7 Transport in bu according to Annex MARPOL 73/78 and Code	ll of	Not availab	le.				
SECTION 15: F	Regulato	ry inforn	nation				
15.1 Safety, health a	nd environ	mental regu	lations/legi	slation spe	cific for the subst	ance or mixture)
EU Regulation (EC	<u>No. 1907/2</u>	2006 (REACH	1)				
Annex XIV - List o	<u>f substanc</u>	<u>es subject to</u>	o authorisa	<u>tion</u>			
Annex XIV							
None of the comp							
Substances of v							
None of the comp Annex XVII - Rest		isted.					
on the manufactu							
placing on the ma and use of certair dangerous substa	nrket n ances,						
mixtures and artic							
Other EU regulatio		Not determi	ined				
Seveso Directive			incu.				
This product is not	controlled u	nder the Sev	eso Directiv	e.			
International regul				-			
Chemical Weapon	Conventior	List Sched	<u>ules I, II & I</u>	II Chemical	<u>5</u>		
Not listed.							
Montreal Protocol Not listed.	Annexes A	<u>, B, C, E)</u>					
Stockholm Conver Not listed.	<u>tion on Per</u>	<u>sistent Orga</u>	anic Polluta	<u>ints</u>			
Rotterdam Conven Not listed.	<u>tion on Pric</u>	or Inform Co	onsent (PIC)	1			
UNECE Aarhus Pro	tocol on P	OPs and Hea	avy Metals				

SECTION 16: Other information

Indicates information that has changed from previously issued version.

SECTION 16: Other information

Abbreviations and	: ATE = Acute Toxicity Estimate
acronyms	CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No.
	1272/2008]
	DMEL = Derived Minimal Effect Level
	DNEL = Derived No Effect Level
	EUH statement = CLP-specific Hazard statement
	PBT = Persistent, Bioaccumulative and Toxic
	PNEC = Predicted No Effect Concentration
	RRN = REACH Registration Number
	vPvB = Very Persistent and Very Bioaccumulative

Procedure used to derive the classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

:		
:		
	H302 H312 H315 H317 H318 H319 H332 H400 H412	Harmful if swallowed. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye damage. Causes serious eye irritation. Harmful if inhaled. Very toxic to aquatic life. Harmful to aquatic life with long lasting effects.
:	Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H312 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 Eye Dam. 1, H318 Eye Irrit. 2, H319 Skin Irrit. 2, H315 Skin Sens. 1, H317	ACUTE TOXICITY (oral) - Category 4 ACUTE TOXICITY (dermal) - Category 4 ACUTE TOXICITY (inhalation) - Category 4 ACUTE AQUATIC HAZARD - Category 1 LONG-TERM AQUATIC HAZARD - Category 3 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2 SKIN CORROSION/IRRITATION - Category 2 SKIN SENSITIZATION - Category 1
:	26/09/2016	
	:	H317 H318 H319 H332 H400 H412 Acute Tox. 4, H302 Acute Tox. 4, H312 Acute Tox. 4, H312 Acute Tox. 4, H332 Aquatic Acute 1, H400 Aquatic Chronic 3, H412 Eye Dam. 1, H318 Eye Irrit. 2, H319 Skin Irrit. 2, H315

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the abovenamed supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.