Conforms to Regulation (EC) No. 1907/2006 (REACH), Annex II, as amended by Commission Regulation (EU) 2015/830 - United Kingdom (UK)

SAFETY DATA SHEET



TEKNOCRYL AQUA PRIMER 23-11 - BLACK 010

SECTION 1: Identification of the substance/mixture and of the company/ undertaking **1.1 Product identifier** : TEKNOCRYL AQUA PRIMER 23-11 - BLACK 010 **Product name** 1.2 Relevant identified uses of the substance or mixture and uses advised against **Product description** : Paint. 1.3 Details of the supplier of the safety data sheet Teknos Group Oy, Takkatie 3, FI-00370 HELSINKI, FINLAND. Tel. +358 9 506 091. e-mail address of person : prod-safe@teknos.com responsible for this SDS **National contact** Teknos (UK) Limited, 7 Longlands Rd, Bicester, Oxfordshire OX26 5AH, United Kingdom. Tel. +44 (0) 1869 208005. 1.4 Emergency telephone number **Telephone number** : Teknos UK Limited; TEL: +44 1608 683 494; Opening hours: MON-FRI, 7am – 6pm. SECTION 2: Hazards identification 2.1 Classification of the substance or mixture **Product definition** : Mixture Classification according to Regulation (EC) No. 1272/2008 [CLP/GHS] Aquatic Chronic 3, H412 The product is classified as hazardous according to Regulation (EC) 1272/2008 as amended. See Section 16 for the full text of the H statements declared above. See Section 11 for more detailed information on health effects and symptoms. 2.2 Label elements Signal word : No signal word. : H412 - Harmful to aquatic life with long lasting effects. **Hazard statements Precautionary statements** General : Not applicable. : P273 - Avoid release to the environment. **Prevention** Response : Not applicable. **Storage** : Not applicable. : P501 - Dispose of contents and container in accordance with all local, regional, Disposal national and international regulations. **Supplemental label** : Contains 1,2-benzisothiazol-3(2H)-one and 2-methyl-2H-isothiazol-3-one. May produce an allergic reaction. Contains biocidal products for in-can preservation: BIT elements and MIT. **Annex XVII - Restrictions** t on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles

SECTION 2: Hazards identification

2.3 Other hazards

Other hazards which do : None known. not result in classification

SECTION 3: Composition/information on ingredients

| Product/ingredient name | Identifiers | % | Regulation (EC) No. 1272/2008 [CLP] | Туре |
|------------------------------|--|---------|---|------|
| Trizinc bis(orthophosphate) | REACH #: 01-2119485044-40 EC: 231-944-3 CAS: 7779-90-0 Index: 030-011-00-6 | <2.5 | Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1) | [1] |
| 1,2-benzisothiazol-3(2H)-one | EC: 220-120-9 CAS: 2634-33-5 Index: 613-088-00-6 | <0.05 | Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 1, H400 (M=1) | [1] |
| 2-methyl-2H-isothiazol-3-one | EC: 220-239-6 CAS: 2682-20-4 | <0.0015 | Acute Tox. 3, H301 Acute Tox. 3, H311 Acute Tox. 2, H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410 (M=1) EUH071 | [1] |
| | | | See Section 16 for the full text of the H statements declared above. | |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

Type

- [1] Substance classified with a health or environmental hazard
- [2] Substance with a workplace exposure limit
- [3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII
- [4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII
- [5] Substance of equivalent concern
- [6] Additional disclosure due to company policy

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

| 4.1 Description of first aid me | easures |
|---------------------------------|--|
| Eye contact | : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 10 minutes. Get medical attention if irritation occurs. |
| Inhalation | : Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention if adverse health effects persist or are severe. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband. |

| TEKNOCRYL AQUA PRIMER 23-11 - BLACK 010 | | | | Label No :25145 | | |
|---|--------------|------------------------|--------------|-----------------|-------|------|
| Date of issue/Date of revision | : 11/06/2019 | Date of previous issue | : 22/02/2018 | Version | :1.01 | 2/12 |

SECTION 4: First aid measures Skin contact : Flush contaminated skin with plenty of water. Remove contaminated clothing and shoes. Get medical attention if symptoms occur. Wash clothing before reuse. Clean shoes thoroughly before reuse. Ingestion : Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention if adverse health effects persist or are severe. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Protection of first-aiders : No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

4.2 Most important symptoms and effects, both acute and delayed

| Over-exposure signs/symptoms | | | |
|------------------------------|---------------------|--|--|
| Eye contact | : No specific data. | | |
| Inhalation | : No specific data. | | |
| Skin contact | : No specific data. | | |
| Ingestion | : No specific data. | | |

4.3 Indication of any immediate medical attention and special treatment needed

| Notes to physician | Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. |
|---------------------|---|
| Specific treatments | : No specific treatment. |

SECTION 5: Firefighting measures

| •=• | | | |
|---|---|--|--|
| 5.1 Extinguishing media | | | |
| Suitable extinguishing media | : Use an extinguishing agent suitable for the surrounding fire. | | |
| Unsuitable extinguishing media | : None known. | | |
| 5.2 Special hazards arising f | rom the substance or mixture | | |
| Hazards from the substance or mixture | : In a fire or if heated, a pressure increase will occur and the container may burst. This material is harmful to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain. | | |
| Hazardous combustion products | : In a fire, decomposition may produce toxic gases/fumes. | | |
| 5.3 Advice for firefighters | | | |
| Special protective actions for fire-fighters | : Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. | | |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Clothing for fire-fighters (including helmets, protective boots and gloves) conforming to European standard EN 469 will provide a basic level of protection for chemical incidents. | | |

SECTION 6: Accidental release measures

| SECTION 0. Accident | |
|---------------------------------|---|
| 6.1 Personal precautions, pro | tective equipment and emergency procedures |
| For non-emergency personnel | : No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Avoid breathing vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
| For emergency responders | : If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel". |
| 6.2 Environmental precautions | : Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. |
| 6.3 Methods and material for | containment and cleaning up |
| Small spill | : Stop leak if without risk. Move containers from spill area. Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor. |
| Large spill | : Stop leak if without risk. Move containers from spill area. Approach the release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spill product. |
| 6.4 Reference to other sections | See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information. |

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling

| Protective measures | : | Put on appropriate personal protective equipment (see Section 8). Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing vapour or mist. Avoid release to the environment. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container. |
|--|---|---|
| Advice on general occupational hygiene | : | Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures. |

7.2 Conditions for safe storage, including any incompatibilities

Do not store below the following temperature: 5°C (41°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabelled containers. Use appropriate containment to avoid environmental contamination.

| 7.3 Specific end use(s) | |
|--------------------------------------|------------------|
| Recommendations | : Not available. |
| Industrial sector specific solutions | : Not available. |

| TEKNOCRYL AQUA PRIMER 23-11 - BLACK 010 | | | | Label No :25145 | | |
|---|--------------|------------------------|--------------|---------------------|--|--|
| Date of issue/Date of revision | : 11/06/2019 | Date of previous issue | : 22/02/2018 | Version : 1.01 4/12 | | |

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

No exposure limit value known.

| Recommended monitoring procedures | : | If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Reference should be made to monitoring standards, such as the following: European Standard EN 689 (Workplace atmospheres - Guidance for the assessment of exposure by inhalation to chemical agents for comparison with limit values and measurement strategy) European Standard EN 14042 (Workplace atmospheres - Guide for the application and use of procedures for the assessment of exposure to chemical and biological agents) European Standard EN 482 (Workplace atmospheres - General requirements for the performance of procedures for the measurement of chemical agents) Reference to national guidance documents for methods for the determination of hazardous substances will also be required. |
|-----------------------------------|-----|--|
| DNELs/DMELs | | |
| No DNELs/DMELs available | | |
| PNECs No PNECs available | | |
| 8.2 Exposure controls | | |
| Appropriate engineering controls | : | Good general ventilation should be sufficient to control worker exposure to airborne contaminants. |
| Individual protection measu | res | <u>i</u> |
| Hygiene measures | : | Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location. |
| Eye/face protection | : | Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields. |
| Skin protection | | |
| Hand protection | : | Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated. |
| | | Recommendations : Wear suitable gloves tested to EN374.> 8 hours (breakthrough time):Nitrile gloves. thickness > 0.3 mmNot recommendedpolyvinyl alcohol (PVA) gloves |
| Body protection | : | Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. Refer to European Standard EN 14605 for further |

information on material and design requirements and test methods.

SECTION 8: Exposure controls/personal protection

| Other skin protection | : Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. |
|---------------------------------|---|
| Respiratory protection | : Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use. |
| | spray application Filter type: A P |
| Environmental exposure controls | : Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. |

SECTION 9: Physical and chemical properties

| 9.1 Information on basic physical and chemical properties | | | | | |
|---|---|--|--|--|--|
| <u>Appearance</u> | | | | | |
| Physical state | 1 | Liquid. | | | |
| Colour | 1 | Various | | | |
| Odour | 1 | Slight | | | |
| Odour threshold | 1 | Not available. | | | |
| рН | 1 | Not available. | | | |
| Melting point/freezing point | 1 | Not available. | | | |
| Initial boiling point and boiling range | : | Not available. | | | |
| Flash point | 1 | Closed cup: >100°C | | | |
| Evaporation rate | 1 | Not available. | | | |
| Flammability (solid, gas) | 1 | Not available. | | | |
| Upper/lower flammability or explosive limits | : | Lower: Not applicable. Upper: Not applicable. | | | |
| Vapour pressure | 1 | Not available. | | | |
| Vapour density | 1 | Not available. | | | |
| Density | 1 | 1.1 kg/l | | | |
| Solubility(ies) | 1 | Not available. | | | |
| Partition coefficient: n-octanol/ water | : | Not available. | | | |
| Auto-ignition temperature | 1 | Not available. | | | |
| Decomposition temperature | 1 | Not available. | | | |
| Viscosity | 1 | Not available. | | | |
| Explosive properties | 1 | Not available. | | | |
| Oxidising properties | ÷ | Not available. | | | |
| 9.2 Other information | | | | | |
| VOC | ÷ | 0 g/l | | | |
| Solubility in water | ÷ | Not available. | | | |
| No additional information. | | | | | |

SECTION 10: Stability and reactivity

| 10.1 Reactivity | : | No specific test data related to reactivity available for this product or its ingredients. |
|--|---|--|
| 10.2 Chemical stability | : | The product is stable. |
| 10.3 Possibility of hazardous reactions | : | Under normal conditions of storage and use, hazardous reactions will not occur. |

| TEKNOCRYL AQUA PRIMER 23-11 - BLACK 010 | | | | Label No | : 2514 | 5 |
|---|--------------|------------------------|--------------|----------|---------------|------|
| Date of issue/Date of revision | : 11/06/2019 | Date of previous issue | : 22/02/2018 | Version | :1.01 | 6/12 |

SECTION 10: Stability and reactivity

| 10.4 Conditions to avoid | : No specific data. |
|--------------------------|---------------------|
|--------------------------|---------------------|

10.5 Incompatible materials : No specific data.

10.6 Hazardous: Under normal conditions of storage and use, hazardous decomposition productsdecomposition productsshould not be produced.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|----------------------------------|----------------------------------|---------------------|-----------------|----------|
| 1,2-benzisothiazol-3(2H)- one | LD50 Oral | Rat | 1020 mg/kg | - |
| Conclusion/Summary | Based on available data, the cla | assification criter | ia are not met. | |

Acute toxicity estimates

Not available.

Irritation/Corrosion

Date of issue/Date of revision

| Product/ingredient name | Result | Species | Score | Exposure | Observation |
|--|---|--------------------|-------------|-----------------------|-------------|
| 1,2-benzisothiazol-3(2H)-one | Skin - Mild irritant | Human | - | 48 hours 5 Percent | - |
| Conclusion/Summary | : Based on available data, the | e classification c | riteria are | not met. | |
| Sensitisation | | | | | |
| Conclusion/Summary | : Based on available data, the | e classification c | riteria are | not met. | |
| Mutagenicity | | | | | |
| Conclusion/Summary | : Based on available data, the | e classification c | riteria are | e not met. | |
| Carcinogenicity | | | | | |
| Conclusion/Summary | : Based on available data, the | e classification c | riteria are | e not met. | |
| Reproductive toxicity | | | | | |
| Conclusion/Summary | : Based on available data, the | e classification c | riteria are | e not met. | |
| Teratogenicity | | | | | |
| Conclusion/Summary | : Based on available data, the | e classification c | riteria are | e not met. | |
| Specific target organ toxicit | <u>y (single exposure)</u> | | | | |
| Not available. | | | | | |
| Specific target organ toxicit | v (repeated exposure) | | | | |
| Not available. | <u>, , , , , , , , , , , , , , , , , , , </u> | | | | |
| Aspiration hazard | | | | | |
| Not available. | | | | | |
| Not available. | | | | | |
| nformation on likely routes of exposure | : Not available. | | | | |
| · Potential acute health effects | | | | | |
| Eye contact | : No known significant effects | or critical hazar | ds. | | |
| Inhalation | : No known significant effects | | | | |
| Skin contact | : No known significant effects | | | | |
| Ingestion | : No known significant effects | or critical hazar | ds. | | |
| Symptoms related to the phy | sical, chemical and toxicologi | ical characteris | tics | | |
| Eye contact | : No specific data. | | | | |
| TEKNOCRYL AQUA PRIMER | 23-11 - BLACK 010 | | | Label | No :25145 |

: 11/06/2019 Date of previous issue

Version : 1.01 7/12

: 22/02/2018

SECTION 11: Toxicological information

| Inhalation | : No specific data. |
|--------------|---------------------|
| Skin contact | : No specific data. |
| Ingestion | : No specific data. |

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| <u>Short term exposure</u> | |
|--------------------------------|---|
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| <u>Long term exposure</u> | |
| Potential immediate effects | : Not available. |
| Potential delayed effects | : Not available. |
| Potential chronic health eff | |
| Not available. | |
| Conclusion/Summary | : Not available. |
| General | : No known significant effects or critical hazards. |
| Carcinogenicity | : No known significant effects or critical hazards. |
| Mutagenicity | : No known significant effects or critical hazards. |
| Teratogenicity | : No known significant effects or critical hazards. |
| Developmental effects | : No known significant effects or critical hazards. |
| Fertility effects | : No known significant effects or critical hazards. |
| | |

Other information

: Not available.

SECTION 12: Ecological information

12.1 Toxicity

| Product/ingredient name | Result | Species | Exposure |
|------------------------------|---|---|----------------------------------|
| Trizinc bis(orthophosphate) | Acute EC50 0.32 mg/l | Algae - Selenastrum capricornutum | 72 hours |
| | Acute EC50 0.96 mg/l | Crustaceans - Ceriodaphnia dubia | 48 hours |
| 1,2-benzisothiazol-3(2H)-one | Acute EC50 0.36 mg/l Marine water Acute EC50 3.7 mg/l Acute LC50 1.9 mg/l Fresh water | Algae - Skeletonema Costatum Daphnia - Daphnia Magna Fish - Onorhynchus Mykiss | 72 hours 48 hours 96 hours |
| 2-methyl-2H-isothiazol-3-one | Acute NOEC 0.15 mg/l Marine water Acute EC50 0.18 ppm Fresh water Acute LC50 0.07 ppm Fresh water | Algae - Skelétonema Ćostatum Daphnia - Daphnia magna Fish - Oncorhynchus mykiss | 72 hours 48 hours 96 hours |

Conclusion/Summary : Harmful to aquatic life with long lasting effects.

12.2 Persistence and degradability

| Product/ingredient name | Test | Result | | Dose | Inoculum | |
|---|-------------------|------------------|---|------|------------------|--|
| 1,2-benzisothiazol-3(2H)-one | EU | 24 % - 28 days | | - | - | |
| Conclusion/Summary : This product has not been tested for biodegradation. | | | | | | |
| Product/ingredient name | Aquatic half-life | quatic half-life | | 5 | Biodegradability | |
| 1,2-benzisothiazol-3(2H)-one | - | | - | | Inherent | |

12.3 Bioaccumulative potential

| Product/ingredient name | LogPow | BCF | Potential |
|------------------------------|--------|-------|-----------|
| Trizinc bis(orthophosphate) | - | 60960 | high |
| 1,2-benzisothiazol-3(2H)-one | | 3.2 | Iow |

| TEKNOCRYL AQUA PRIMER 23-11 - BLACK 010 | | | | Label No :2514 | 5 |
|---|--------------|------------------------|--------------|----------------|------|
| Date of issue/Date of revision | : 11/06/2019 | Date of previous issue | : 22/02/2018 | Version : 1.01 | 8/12 |

SECTION 12: Ecological information

| 12.4 Mobility in soil | |
|--|-------------------|
| Soil/water partition coefficient (K _{oc}) | : Not available. |
| Mobility | : Not available. |
| 12.5 Results of PBT and | vPvB assessment |
| PBT | : Not applicable. |

| vPvB | : Not applicable. |
|------|---|
| | • |

12.6 Other adverse effects

: No known significant effects or critical hazards.

SECTION 13: Disposal considerations

| 13.1 Waste treatment method | S | |
|-----------------------------------|---|--|
| Product | | |
| Methods of disposal | : | The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. |
| Hazardous waste | : | The classification of the product may meet the criteria for a hazardous waste. |
| European waste catalogue (EWC) | : | 080112, 200128 |
| Packaging | | |
| Methods of disposal | : | The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. |
| Special precautions | : | This material and its container must be disposed of in a safe way. Care should be taken when handling emptied containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. |

SECTION 14: Transport information

| | ADR/RID | ADN | IMDG | IATA |
|---|----------------------|--|---|---|
| 14.1 UN number | Not regulated. | 9006 | UN3082 | UN3082 |
| 14.2 UN proper shipping name | - | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C11-15-secondary, ethoxylated) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Alcohols, C11-15-secondary, ethoxylated) |
| 14.3 Transport hazard class(es) | - | 9 | 9 | 9 |
| 14.4 Packing group | - | - | 111 | 111 |
| 14.5 Environmental hazards | No. | Yes. | Yes. | Yes. |
| | | | | |
| TEKNOCRYL AQUA Date of issue/Date of rev | PRIMER 23-11 - BLACK | 010 Date of previous issue | : 22/02/2018 | Label No :25145 Version : 1.01 9/12 |

| SECTION 14 | : Transport | information | | |
|---------------------------|-------------|---|---|---|
| Additional information | - | The product is only regulated as a dangerous good when transported in tank vessels. | This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4. 1.1.4 to 4.1.1.8. | This product is not regulated as a dangerous good when transported in sizes of ≤ 5 L or ≤ 5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8. |

user

14.6 Special precautions for : **Transport within user's premises:** always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

: Not relevant/applicable due to nature of the product.

| SECTION 15: Regulatory information | |
|--|-------|
| 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture | |
| EU Regulation (EC) No. 1907/2006 (REACH) | |
| Annex XIV - List of substances subject to authorisation | |
| Annex XIV | |
| None of the components are listed. | |
| Substances of very high concern | |
| None of the components are listed. | |
| Annex XVII - Restrictions : on the manufacture, | |
| placing on the market | |
| and use of certain | |
| dangerous substances, mixtures and articles | |
| Other EU regulations | |
| Europe inventory : Not determined. | |
| Black List Chemicals : | |
| (76/464/EEC) | |
| Ozone depleting substances (1005/2009/EU) | |
| Not listed. | |
| Prior Informed Consent (PIC) (649/2012/EU) | |
| Not listed. | |
| Seveso Directive | |
| This product is not controlled under the Seveso Directive. | |
| International regulations | |
| Chemical Weapon Convention List Schedules I, II & III Chemicals | |
| Not listed. | |
| | |
| Montreal Protocol (Annexes A, B, C, E) Not listed. | |
| | |
| Stockholm Convention on Persistent Organic Pollutants | |
| Not listed. | |
| Rotterdam Convention on Prior Informed Consent (PIC) | |
| Not listed. | |
| UNECE Aarhus Protocol on POPs and Heavy Metals | |
| TEKNOCRYL AQUA PRIMER 23-11 - BLACK 010 Label No :251 | 45 |
| Date of issue/Date of revision : 11/06/2019 Date of previous issue : 22/02/2018 Version : 1.01 | 10/12 |
| | |

SECTION 15: Regulatory information

Not listed.

| 15.2 Chemical safety | |
|----------------------|--|
| assessment | |

: This product contains substances for which Chemical Safety Assessments are still required.

Harmful to aquatic life with long lasting effects.

SECTION 16: Other information

| changed from previously issued version | on. |
|---|---|
| ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Pa 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazar PBT = Persistent, Bioaccumulative ar PNEC = Predicted No Effect Concent RRN = REACH Registration Number vPvB = Very Persistent and Very Bioa | rd statement nd Toxic tration accumulative |
| Classification Justification | |
| | Calculation method |
| nents | · |
| Toxic if swallowed. Harmful if swallowed Toxic in contact with Causes severe skin Causes skin irritation May cause an allergi Causes serious eye Fatal if inhaled. Very toxic to aquatic Very toxic to aquatic | skin. burns and eye damage. n. ic skin reaction. damage. |
| | ATE = Acute Toxicity Estimate CLP = Classification, Labelling and P 1272/2008] DMEL = Derived Minimal Effect Level EUH statement = CLP-specific Hazar PBT = Persistent, Bioaccumulative ar PNEC = Predicted No Effect Concern RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulation assification according to Regulation sification Toxic if swallowed. Harmful if swallowed. Toxic in contact with Causes severe skin Causes serious eye Fatal if inhaled. |

Full text of classifications ICLP/GHS1

| Acute Tox. 2, H330 | ACUTE TOXICITY (inhalation) - Category 2 |
|-------------------------|---|
| Acute Tox. 3, H301 | ACUTE TOXICITY (oral) - Category 3 |
| Acute Tox. 3, H311 | ACUTE TOXICITY (dermal) - Category 3 |
| Acute Tox. 4, H302 | ACUTE TOXICITY (oral) - Category 4 |
| Aquatic Acute 1, H400 | SHORT-TERM (ACUTE) AQUATIC HAZARD - Category 1 |
| Aquatic Chronic 1, H410 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 1 |
| Aquatic Chronic 3, H412 | LONG-TERM (CHRONIC) AQUATIC HAZARD - Category 3 |
| EUH071 | Corrosive to the respiratory tract. |
| Eye Dam. 1, H318 | SERIOUS EYE DAMAGE/EYE IRRITATION - Category 1 |
| Skin Corr. 1B, H314 | SKIN CORROSION/IRRITATION - Category 1B |
| Skin Irrit. 2, H315 | SKIN CORROSION/IRRITATION - Category 2 |
| Skin Sens. 1, H317 | SKIN SENSITISATION - Category 1 |
| Skin Sens. 1A, H317 | SKIN SENSITISATION - Category 1A |

| Date of issue/ Date of revision | : 11/06/2019 |
|---------------------------------|--------------|
| Date of previous issue | : 22/02/2018 |
| Version | : 1.01 |
| | |

TEKNOCRYL AQUA PRIMER 23-11_BLACK 010 BLACK 010

Notice to reader

H412

SECTION 16: Other information

The information in this SDS is based on the present state of our knowledge and on current laws. The product is not to be used for purposes other than those specified under section 1 without first obtaining written handling instructions. It is always the responsibility of the user to take all necessary steps to fulfil the demands set out in the local rules and legislation. The information in this SDS is meant to be a description of the safety requirements for our product. It is not to be considered a guarantee of the product's properties.